

Oral presentation

Open Access

The biomechanics of conservative treatment of idiopathic scoliosis

Angelo Gabriele Aulisa^{*1}, Stefano Negrini², Marco Galli³, Federico Visci³ and Lorenzo Aulisa³

Address: ¹Orthopaedic Department, Children's Hospital Bambino Gesù, Institute of Scientific Research, Via della balduina 63 00136 Rome, Italy,

²ISICO (Italian Scientific Spine Institute), Milan, Italy and ³Department of Orthopaedics, "A. Gemelli" Hospital, Universita Cattolica del Sacro Cuore, Rome, Italy

Email: Angelo Gabriele Aulisa* - aulisa@libero.it

* Corresponding author

from 4th International Conference on Conservative Management of Spinal Deformities
Boston, MA, USA. 13–16 May 2007

Published: 12 October 2007

Scoliosis 2007, **2**(Suppl 1):S31 doi:10.1186/1748-7161-2-S1-S31

This abstract is available from: <http://www.scoliosisjournal.com/content/2/S1/S31>

© 2007 Aulisa et al; licensee BioMed Central Ltd.

Objective

To evaluate the mechanical action of braces and the biological response to their action.

Study design

Two studies were carried out. The goal of the first was to analyse the actions induced by the brace, in order to modify the pattern of load distribution on the vertebrae included in the curve. The optimization of the actions results in an inversion of the stress concentration through the spinal curve. The second derives from the observation that the mechanical features cannot completely define the biomechanics of orthotic treatment.

Results

The biomechanical analysis demonstrates that the response of the scoliotic spine to the action induced by the brace are determined by two main factors: (1) the residual potential of remodelling of the vertebrae (due to the residual potential of growth); and (2) the capacity of the visco-elastic structures to react properly to the forces. The study defined the G modulus of torque-rigidity in relation to the age of the individual, the level of the intervertebral disk and the magnitude of the vertebral rotation.

Conclusion

The effectiveness of the corrective action is linked to the geometry of the brace. However, mechanical action can-

not produce any corrective effect on biological structures unless actions determine a vertebral remodelling. Vertebral remodelling is possible if there is a sufficient residual potential of growth and if the visco-elastic structures are capable to react adequately to the action imposed. It is, therefore, necessary that the inter-vertebral disks, included in the scoliotic curve, should work within the limits of linear elasticity.